ZHUHAI LABELLET NEW MATERIAL CO., LTD.
1/F, BUILDING #1, NORTH OF HONGHUI ROAD 3RD, HONGQI TOWN, JINWAN DISTRICT, ZHUHAI,CHINA

Sample Description	: SUPER NON-SLIP FLAME RETARDANT ANTIBACTERIAL ALUMINUM FOIL STICKER
Item No.	: PMTS-5J
SKU No.	: P-1050
Manufacturer	: ZHUHAI LABELLET NEW MATERIAL CO., LTD.
Country of Origin	: CHINA

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

****

SGS Ref No.	: XMIN2207007090CM
Sample Receiving Date	: Jul 07, 2022
Test Performing Date	: Jul 07, 2022 to Jul 13, 2022
Test Performed	: Selected test(s) as requested by applicant

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	Anti-Slip Property	please refer to the following page(s)	/
For further details, please refer to the following page(s)			

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

Peter Zhao
Authorized Signatory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doucheck@sgs.com
中广地铁Cosper地铁广场A1 | 南山区深圳湾大道9号 | 518033 | t (86-755)23205688 | f (86-755)23205658 www.sgsgroup.com.cn
中国·广东·佛山市顺德区大良街道办事处五沙横滘路顺德市政府工业区一号厂房及宿舍楼 | 528333 | t (86-755)23205688 | f (86-755)23205658 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)

ZHUHAI LABELLET NEW MATERIAL CO., LTD.
1/F, BUILDING #1, NORTH OF HONGHUI ROAD 3RD, HONGQI TOWN, JINWAN DISTRICT, ZHUHAI,CHINA

Sample Description	:	SUPER NON-SLIP FLAME RETARDANT ANTIBACTERIAL ALUMINUM FOIL STICKER
Item No.	:	PMTS-5J
SKU No.	:	P-1050
Manufacturer	:	ZHUHAI LABELLET NEW MATERIAL CO., LTD.
Country of Origin	:	CHINA

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

****

SGS Ref No.	:	SDFS2206003919FF
Sample Receiving Date	:	Jun 16, 2022
Test Performing Date	:	Jun 16, 2022 to Jun 24, 2022
Test Performed	:	Selected test(s) as requested by applicant

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	DIN 5510-2:2009 Preventive fire protection in railway vehicles Part 2: Fire behaviour and fire side effects of materials and parts, clause 4.2.3,clause 4.3 and clause 4.4	Flammability Class: **S4** Smoke generation Class: **SR1** Droplet formation Class: **ST2**	/
For further details, please refer to the following page(s)			

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

scan to see the report

SDHL2206011654HI

Peter Zhao
Authorized Signatory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

中广东省佛山市顺德区大良街道办事处五沙横滘路第一号商贸工业区一号厂房首层 邮编: 528333 t (86-757) 22805888 f (86-757) 22805858 www.sgsgroup.com.cn

中国·广东·佛山市顺德区大良街道办事处五沙横滘路第一号商贸工业区一号厂房首层 邮编: 528333 t (86-757) 22805888 f (86-757) 22805858 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

ZHUHAI LABELLET NEW MATERIAL CO., LTD.
1/F, BUILDING #1, NORTH OF HONGHUI ROAD 3RD, HONGQI TOWN, JINWAN DISTRICT, ZHUHAI,CHINA

Sample Description	:	SUPER NON-SLIP FLAME RETARDANT ANTIBACTERIAL ALUMINUM FOIL STICKER
Item No.	:	PMTS-5J
SKU No.	:	P-1050
Manufacturer	:	ZHUHAI LABELLET NEW MATERIAL CO., LTD.
Country of Origin	:	CHINA

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

****

SGS Ref No.	:	GZF22-020693-02
Sample Receiving Date	:	Jun 17, 2022
Test Performing Date	:	Jun 17, 2022 to Jun 27, 2022
Test Performed	:	Selected test(s) as requested by applicant

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	Test of antimicrobial activity	please refer to the following page(s)	/
For further details, please refer to the following page(s)			

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

scan to see the report

SDHL2206011652HI

Peter Zhao
Authorized Signatory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention: is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com
中国·广东·佛山市顺德区大良街道办事处五�veg路一号广州信息港B栋 528333 t (86-757) 22805888 f (86-757) 22805858 www.sgsgroup.com.cn
中国·广东·佛山市顺德区大良街道办事处五沙滩科技园一号信息港上业第一号广州信息港B栋 528333 t (86-757) 22805888 f (86-757) 22805858 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Report

No.SDHL2206011656HI | Date: Jul 04, 2022 |

ZHUHAI LABELLET NEW MATERIAL CO., LTD.
1/F, BUILDING #1, NORTH OF HONGHUI ROAD 3RD, HONGQI TOWN, JINWAN DISTRICT, ZHUHAI,CHINA

Sample Description	:	SUPER NON-SLIP FLAME RETARDANT ANTIBACTERIAL ALUMINUM FOIL STICKER
Item No.	:	PMTS-5J
SKU No.	:	P-1050
Manufacturer	:	ZHUHAI LABELLET NEW MATERIAL CO., LTD.
Country of Origin	:	CHINA

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

****

SGS Ref No.	:	SDFS2206003933FF
Sample Receiving Date	:	Jun 17, 2022
Test Performing Date	:	Jun 17, 2022 to Jul 01, 2022
Test Performed	:	Selected test(s) as requested by applicant

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	GB 8624-2012 Fire classification for burning behavior of building materials and products, Clause 5.1.2 Table 3. Classes of reaction to fire performance for floorings	Classification: B_1 (B-s1)	/
For further details, please refer to the following page(s)			

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

scan to see the report

SDHL2206011656HI

Peter Zhao
Authorized Signatory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doucheck@sgs.com
中国·广东·佛山市顺德区大良街道办事处五沙滩科技路第一号广东省质量检测大楼 528333 t (86-757) 22809888 f (86-757) 22809858 www.sgsgroup.com.cn
中国·广东·佛山市顺德区大良街道办事处五沙滩科技路第一号广东省质量检测大楼 528333 t (86-757) 22809888 f (86-757) 22809858 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)